

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012, and GHS Rev 03.

Printing date 11/18/2014

Reviewed on 11/18/2014

1 Identification

- · Product identifier
- · Trade name: Graphenoil
- · Product description Graphenoil Transmission Treatment
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Graphenoil 16310 Hollister St.

Houston, TX 77066 Phone: 832-666-3143 www.graphenoil.com

· Emergency telephone number: 832-666-3143

2 Hazard(s) identification

· Classification of the substance or mixture

Eye Irrit. 2B H320 Causes eye irritation.

· Label elements

· GHS label elements

- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms Non-Regulated Material
- · Hazard statements

Causes eye irritation.

· Precautionary statements

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 1Fire = 1Reactivity = 0

• HMIS-ratings (



scale 0 - 4)
Health = 1
Fire = 1
Reactivity = 0

3 Composition/information on ingredients	
Proprietary Petroleum Distillates	15-35%
Proprietary Petroleum Distillates	15-35%

Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous Components:	
Proprietary Oil	60-90%
Trade Secret	2-12%

· Additional information:

Trade Secret/Proprietary made in accordance with paragraph (i) of 1910.1200 of 29 CF 1910.1200, the OSHA Communication Standard.



OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012, and GHS Rev 03.

Printing date 11/18/2014

Reviewed on 11/18/2014

Trade name: Graphenoil Automatic Transmission Treatment

4 First-aid measures

· Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Wash areas with soap and water.

If symptoms persist, consult a doctor.

· After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist, consult doctor.

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

- · Suitable extinguishing agents: Use firefighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters

Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

· Advice for firefighters

· Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

· Additional information

Do not discharge extinguishing water into the aquatic environment. Cool fire exposed containers with water.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e., sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Dispose of the collected material according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.



OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012, and GHS Rev 03.

Printing date 11/18/2014

Trade name: Graphenoil Automatic Transmission Treatment

· Conditions for safe storage, including any incompatibilities.

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with occupational exposure limits:

8042-47-5 Mineral Oil

OSHA PEL Long-term value: 5 mg/m³

ACGIH TLV Short-term value: 10 mg/m³

Long-term value: 5 mg/m³

OSHA PEL Long-term value: 5 mg/m³

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages, and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

· Material of gloves Chemical resistant

· Penetration time of glove material

The exact break-through time must be determined and observed by the manufacturer of the protective gloves.

Liquid

• *Eye protection:* Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

- · General Information
- · Appearance:
 - Form:
 - Color:
- Odor:
 Odor threshold:
- · pH-value:
- · pn-value.
- Change in condition
 Malting paint/

Melting point/Melting range: Boiling point/Boiling range:

· Flash point:

No data available. Not determined. Not determined. Not determined.

Not determined. Not determined. Not applicable.

Reviewed on 11/18/2014

(Contd. of page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 11/18/2014

Reviewed on 11/18/2014

Trade name: Graphenoil Oil System Cleaner

		(Contd. of page 3)
 Flammability (solid, gaseous): 	Not applicable.	
 Ignition temperature: 		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
 Danger of explosion: 	Product does not present an explosion hazard.	
 Explosion limits: 		
Lower:	Not determined.	
Upper:	Not determined.	
 Vapor pressure: 	Not determined.	
· Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
 Solubility in / Miscibility with Water: 	Insoluble.	
Partition coefficient (n-octanol/water):	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No further relevant information available.	
10 Stability and reactivity		

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Mild irritant effect.
- · on the eye:

Irritating effect.

Causes serious eye irritation.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

(Contd. of page 4)



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012, and GHS Rev 03.

Printing date 11/18/2014

Reviewed on 11/18/2014

Trade name: Graphenoil Oil System Cleaner

NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Observe all federal, state, and local environmental regulations when disposing of this material.

· Uncleaned packaging's:

- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary, with cleansing agents.

14 Transport information

· UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material.
 UN proper shipping name 	
· DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material.
Transport hazard class(es)	
· DOT, ADR, IMDG, IATA	
· Class	Non-Regulated Material.
 Packing group 	
· DOT, ADR, IMDG, IATA	Non-Regulated Material.
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to An	

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": -

15 Regulatory information

Safety, health, and environmental regulations/legislation specific for the substance or mixture
 Sara

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

(Contd. of page 5)

I (oral)



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012, and GHS Rev 03.

Printing date 11/18/2014

Reviewed on 11/18/2014

Trade name: Graphenoil Oil System Cleaner

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

• Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed.

• Chemicals known to cause developmental toxicity: None of the ingredients are listed.

Carcinogenic categories

· EPA (Environmental Protection Agency)

Trade Secret

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms Non-Regulated Material

· Signal word Warning

· Hazard statements

Causes eye irritation.

· Precautionary statements

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

· National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous. substances.

· State Right to Know		
Proprietary Lubricant	Eye Irrit. 2B, H320	60-90%
Proprietary Petroleum Distillates		15-35%
Proprietary Petroleum Distillates		15-35%
Trade Secret		2-12%
Trade Secret		≤ 2.5%
All ingredients are listed.		

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012, and GHS Rev 03.

Printing date 11/18/2014

Reviewed on 11/18/2014

Trade name: Graphenoil Oil System Cleaner

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

Date of preparation / last revision 11/18/2014 / 2

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 3: Flammable liquids, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com (877) 204-9106